

Some Reminders

1. You will need someone to drive you home after the procedure.
2. No nail polish on either pointing finger, for the purpose of monitoring oxygen level during procedure.
3. Please remember to bring the following:

- ◆ Current Insurance Card
- ◆ Co-Pay
- ◆ List of Medications
- ◆ These orders
- ◆ Current drivers license/ID

It is important that you remain well hydrated after the procedure. You should try to drink at least 32 ounces of clear fluid within 8 hours after the procedure.

YOUR PROCEDURE WILL BE DONE AT THE FOLLOWING FACILITY:

- LOHMAN ENDOSCOPY CENTER
4381 E. LOHMAN AVE, STE A
LAS CRUCES, NM 88011 575-522-3220
- MEMORIAL MEDICAL CENTER
2450 S. TELSHOR BLVD
LAS CRUCES, NM 88011 575-522-8641
- MT. VIEW REGIONAL MEDICAL CENTER
4311 E. LOHMAN AVE.
LAS CRUCES, NM 88011 575-556-7600
- MT. VIEW SURGERY CENTER
4351 E. LOHMAN AVE, STE 102
LAS CRUCES, NM 88011 575-532-3305

COLONOSCOPY INSTRUCTIONS AM



Dr. Kai Noshirwani

Patient Name: _____

Date of Procedure: _____

Arrival Time: _____ Procedure Time: _____

RESCHEDULING PROCEDURES

As a courtesy please notify our office at least 2-3 days prior to your procedure if you need to cancel or reschedule. A fee of \$50 may/will be applied if you do not show for your procedure. Your timely notification will allow us to accommodate another patient. Please call our office if you have any questions (575-522-7697).

THANK YOU!

Colonoscopy and endoscopy are very safe procedures; however, there are minimal risks as with any diagnostic procedure. These risks include perforation, bleeding, infection or side effects from the sedatives.

TWO DAYS BEFORE: AVOID FRUITS, VEGETABLES, AND NUTS

PREPARING FOR THE COLONOSCOPY (day before)

1. On the day before the procedure you may have a regular breakfast.
2. After breakfast have CLEAR LIQUIDS ONLY for lunch and dinner. **You should consume at least 2 liters of clear liquids on the day before the colonoscopy.

Gatorade	CLEAR LIQUIDS INCLUDE:
Kool-Aid	Broth/Bouillon
7UP/Sprite	Jell-O
Apple Juice or Tea	Popsicles
	Coffee (without milk or creamer)
	AVOID LIQUIDS/FOODS THAT ARE RED IN COLOR

LAXATIVE USE INSTRUCTIONS FOR MORNING PROCEDURES

It is important that you follow the instructions carefully and finish all of the preparation. Only a well-prepared colon will enable us to find all potential abnormalities and will make the procedure safer.

PREPARATION/LAXATIVE: 4 LITERS GOLYTELY

ON THE DAY BEFORE THE PROCEDURE start drinking the Golytely beginning at 4 to 8 pm.

**Drink 8 ounces (240 ml) every 10 minutes until you have consumed 2 liters

ON THE DAY OF THE PROCEDURE finish drinking the remaining 2 liters of Golytely between 1 am and 3 am.

**You must finish it between these times.

PREPARATION/ LAXATIVE: MOVI PREP

ON THE DAY BEFORE THE PROCEDURE start drinking the MoviPrep at 5 pm.

**Drink 8 ounces (240ml) every 15 minutes until you have drank 1 liters (followed by 16 ounces of fluid, at least)

ON THE DAY OF THE PROCEDURE finish drinking the remaining 1 liter of MoviPrep between **2 am and 3 am.**

IMPORTANT REMINDERS BEFORE THE PROCEDURE

1. You must remain on an empty stomach on the day of the procedure, with the exception of the laxative and clear liquids.
2. You may have clear liquids up to 3 hours before the procedure.
3. You may take the following medications on the day of the procedure:
 - blood pressure medication
 - anti-seizure medications
4. If you are insulin or diabetic pills, do not take the medication the night before or on the day of the procedure; bring the insulin/pills with you to your appointment.

BLOOD THINNING MEDICATIONS

1. If you take aspirin daily, you will not stop taking it for any procedure
2. If you take one of the following medications, you will have specific instructions on when to stop taking it or if you should continue taking it:

- PLAVIX (CLOPIDOGREL)
- COUMADIN (WARFARIN)
- PRADAXA (DABIGATRAN)
- EFFIENT (PRASUGREL)
- XARELTO (RIVAROXABAN)
- AGGRENOX OR TICLID

Continue take your _____

You will hold your _____

for _____ days prior to the procedure.